CTO1 Series Carbon Block Filter Cartridges





Contaminants Reduced:

Chlorine Taste and Odor









Standard Features

- Manufactured in USA
- Eco-friendly activated coconut shell carbon filter media to provide exceptional filtration and a high level of chlorine taste and odor reduction
- Economical and competitive price while providing exceptional performance and high adsorptive capacity
- All materials and components are FDA compliant. Ideal for drinking water applications in residential, food service and commercial settings
- Filters available in standard 2-1/2" and 4-1/2" (BB-style) cartridge diameters
- Polypropylene outer netting and layers provide superior sediment and particulate reduction
- Filter cartridge has been tested and certified by NSF International against NSF/ANSI Standard 42 for material requirements only

Specifications, Operating Parameters and Options

Filter Media

Coconut shell carbon block

Micron Rating (Nominal)

5 microns

Dimensions

2-1/2" x 9-7/8", 2-1/2" x 20", 4-1/2" x 9-7/8", and 4-1/2" x 20"

Outside Diameters

2-1/2" and 4-1/2" OD

Operating Temperature

35°F - 100°F (2°C - 38°C)

FDA and **USP** Compliance

FDA polypropylene filters are manufactured with materials that comply with FDA requirements for food contact


WARNING:

Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection before or after the system.

Ordering Guide (Example: CTO1-4510)

	PART NUMBER	NOMINAL DIMENSIONS	FILTER CAPACITY (GALLONS)	MAXIMUM FLOW	NOMINAL MICRON RATING	INITIAL PRESSURE DROP (PSI)
CHLORINE TASTE AND ODOR	CT01-2510	2-1/2" x 9-7/8"	8,000	1 GPM (3.785 LPM)	5	< 2 PSI @ 1 GPM
	CT01-2520	2-1/2" x 20"	16,000	2 GPM (7.57 LPM)	5	< 2 PSI @ 2 GPM
	CTO1-4510	4-1/2" x 9-7/8"	16,000	3 GPM (11.35 LPM)	5	< 4 PSI @ 3 GPM
	CT01-4520	4-1/2" x 20"	32,000	6 GPM (22.71 LPM)	5	< 5 PSI @ 6 GPM

Dimensions





DISTRIBUTED BY: